





Over five decades of experience, expertise and innovation have passed between then and now. Much has changed since DUSCHOLUX was founded in 1967. New technologies, markets and trends have arrived. Our impressive products have stayed and aren't going anywhere.

For more than 50 years,

DUSCHOLUX has been designing bathrooms that are right up to date and fulfill your every desire. No matter whether you want to recharge your batteries, relax for a while or just use it every day. No matter how big or small your room or how unusual your idea – your request is our only priority.



From 2019



1967-2003

A brand that moves with the times is a brand that moves with you. Trends and new styles are created due to needs or customers' requirements. With our passion for DUSCHOLUX, we let you play a part in this evolution.



2003-2018

Three core values describe our DUSCHOLUX identity:

Personal

Each project is as unique as you are. As a partner, DUSCHOLUX wants to support and inspire your personal vision. This promise applies both to our product worlds and to our special service. We address your personal requests during the consultation and planning stages. You can count on us to be reliable and to work with you as a partner.

Expert


Top quality in all areas is what motivates us every day. Benefit from over 50 years of experience in the bathroom sector, efficient European manufacturing and our proactive approach to quality, design and functionality.

Inspiring

You can buy products but you can't buy experience. We ensure that our high-quality solutions impress you again and again both with their modernity and with the feeling of having chosen the right partner. We give you long-lasting, sustainable products and services that inspire.



Head Office, Switzerland



An international presence.

As one of the leading worldwide manufacturer

Welcome everywhere.



Luxembourg



Thailand

Export Countries

- Switzerland
- German
- Spain
- Norway
- United Kingdom
- Luxembourg
- United Arab Emirates
- Australia
- China
- Thailand



Spain

Duscholux in Thailand

For more than 25 years, since 1996 Duscholux has been producing high quality shower enclosures in Thailand. All the production is to the same high standard demanded by the European customers as the main focus originally was to support the European Sales Organizations. In more recent time the company now supplies many retail and project customer in Thailand and now across many Asia Pacific rim countries.

- Vietnam
- Cambodia
- Malaysia
- Myanmar
- Taiwan

DOORS AND INSTALLATION SITUATIONS SHOWER ENCLOSURES

SHOWER ENCLOSURES						TANK			
		NEXUS	SUPRA	VIVA		SAPPHIRE	ALLEGRA	OPTIMA	DELTA
	DOORLESS ENTRY								
	Walk in	•	•			•			
	SLIDING DOOR								
	in niche			•	•		0	•	•
	with side panel			•	•		•	•	•
	as corner entry				•		•	•	•
	as quarter circle				•				
	HINGE DOOR								
	in niche	•	•			•			
	with side panel	•	•			•			
	with inline panel	•	•			•			
	as corner entry					•			
	as quarter circle					•			
	PIVOT DOOR								
	in niche				•	•			
	with side panel				•	•			
	with inline panel				•	•			
	as corner entry					•			
	as quarter circle					•			
	FOLDING DOOR								
	in niche				•	•			
	with side panel				•	•			
	with inline panel				•				

DUSCHOLUX





Optional frosted glass available

Splash water tightness

Shower is not just shower. This doesn't mean only the external shape and look. Because the design of the shower wall and shower floors also determine the degree of splash proof. There is a simple formula: the more the profiles are educated and concise, the higher the water protection is.

It doesn't matter if the shower enclosure is framed or frameless. Shower enclosure from Duscholux meet the technical requirement for leak-tightness. For execution of the shower floors there is a rule: the deepper and more pronounced, the inner from, the higher the resistance during showers.





Unique Warranty Number Each Duscholux shower enclosure has a Duscholux badge which when the cover removed will display a unique product & warranty number.







With Glass Shield

Without Glass Shield

Glass Shield Nano Coating
The Glass Shield nano coating has been applied to
our shower enclousre to ensure they ramain in
sparkling condition for longer, easy cleaning, reduce
limescale & dirt and protect the glass corrosion.



Frameless shower enclosures provide good splash protection. Due to the not existing bottom profile water slightly can splash outward. This is opposite to an unmatched transparency, exclusivity abd easy cleaning.



Partial framed shower enclosures provide a very good splash protection. The slim profiles largely prevents the leakage of water splashing but still give the shower enclosure a light apperance.




Framed shower enclosures with a distinct profile have particularly good sealing properties. The higher the bottom rail is designed, the less water can - even dammed - flow outward.

Nexus











Nexus DUSCHOLUX





Nexus Range Features

- Frameless Hinged door shower enclosure.
- Tempered clear glass thickness 8, 10 mm.
- Glass Shield nano coating available.
- Unique Rise-fall featured hinge when open-closing the door.
- Full length seal water tight.
- Wide range of made to measure.
- Standard shower enclosure height 2000 mm.













Handle



Hinge

Full length seal water tight

Supra







Supra Range Features

- Frameless Hinged door shower enclosure.
- Tempered clear glass thickness 8 mm.
- Glass Shield nano coating available.
- Wide range of made to measure.
- Standard shower enclosure height 2000 mm.





Hinge

Handle



Viva

DUSCHOLUX



Models

Viva





Viva Range Features

- Partially framed sliding doors range.
- Tempered clear glass thickness 8 mm.
- Glass Shield nano coating available.
- Soft-close function for smooth opening and closing.
- Wide range of made to measure.
- Standard shower enclosure height 2000 mm.





Handle



Soft closing function

Glide Duscholux



Models




Glide Range Features

- Framed shower enclosure.
- Tempered clear glass thickness 6 mm. (8 mm. for Pivot and Bi-fold door.)
- Glass Shield nano coating available.
- Easi-Glide roller system.

- Magnetic sealing for complete watertight.
- Concealed fixings and chrome plated cover cap.
- 25 mm. Compensation on each side.
- Various panel widths.
- Standard shower enclosure height 1900 mm.

Glide DUSCHOLUX

Single sliding doorwith side panel



Single round sliding door





Twin sliding door



Twin round sliding door







Curve frame

Glide DUSCHOLUX

Bi-fold door



Pivot door





Bi-fold door with side panel



Pivot door with side panel



Easi-Glide roller system



Handle

Sapphire Duscholux





Models



Sapphire

DUSCHOLUX



Sapphire Range Features

- Pivot, hinge and folding door framed shower enclosure.
- Also available in Walk-in and Overbath screen version.
- Tempered clear glass thickness 6 mm. Glass Shield nano coating available
- Shower enclosure height 2000 mm.

Sapphire Folding door









Sapphire Duscholux



Sapphire Pivot door

















Sapphire Duscholux



Sapphire Hinge door













Allegra Plus

DUSCHOLUX



Models













Allegra Plus

DUSCHOLUX






Wall Profile



Handle profile corner entry

Allegra Plus Sliding Door Features

- Sliding door framed shower enclosure.
- Tempered clear glass thickness 5 mm.
- Glass Shield nano coating available
- Standard shower enclosure height 2000 mm.




Glass guide on the bottom





Allegra







Allegra





Allegra Range Features

- Sliding door framed shower enclosure.
- Tempered clear glass thickness 4 mm.
- Glass Shield nano coating available
- Standard shower enclosure height 2000 mm.









Wall profile



Bottom roller



Delta Duscholux















Delta Range Features

- Sliding door framed shower enclosure.
- Sliding door tempered clear glass thickness 5 mm.
- Fix panel tempered clear glass thickness 4 mm.
- Glass Shield nano coating available.
- Standard shower enclosure height 2000 mm.




Optima R Duscholux





Models



Optima R Range Features

- Sliding door framed shower enclosure.
- Tempered clear glass thickness 4 mm.
- Glass Shield nano coating available
- Swing-out sliding doors for easy maintenance.
- Wide range of made to measure.
- Standard shower enclosure height 2000 mm.





South East Asia Regional Office Sales & Marketing